

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Previously presented) An article comprising a plurality of layers arranged in the following sequence:

- a) a surface layer comprising a member selected from the group consisting of polymethylmethacrylate, acrylonitrile-butadiene-styrene graft copolymers, polycarbonate, polystyrene, polyvinylchloride, acrylic ester-modified-styrene-acrylonitrile terpolymers and combinations thereof;
- b) a solid thermosetting polyurethane layer;
- c) a crosslinked polyurethane elastomer layer;
- d) a polyurethane foam layer;
- e) a solid thermosetting polyurethane layer; and
- f) an optional substrate,

wherein each of layers a) through f) is bonded to its immediately adjacent layer or layers.

2. (Previously presented) An article comprising a plurality of layers arranged in the following sequence:

- a) a surface layer comprising a member selected from the group consisting of polymethylmethacrylate, acrylonitrile-butadiene-styrene graft copolymers, polycarbonate, polystyrene, polyvinylchloride, acrylic ester modified-styrene-acrylonitrile terpolymers and combinations thereof;
- b) a solid thermosetting polyurethane layer;
- c) a crosslinked polyurethane elastomer layer;
- d) a polyurethane foam layer;
- e) a solid thermosetting polyurethane layer; and
- f) an optional surface layer comprising a member selected from the group consisting of polymethylmethacrylate, acrylonitrile-butadiene-styrene graft copolymers, polycarbonate, polystyrene,

polyvinylchloride, acrylic ester modified-styrene-acrylonitrile  
terpolymers and combinations thereof,  
wherein each of layers a) through f) is bonded to its immediately adjacent layer or  
layers.

3. (Previously presented) The article of Claim 1 wherein the polyurethanes  
of layers (b) and (e), and the polyurethane of layer (c) are each a product of a  
reaction comprising identical isocyanate reactants.

4. (Cancelled)

5. (Cancelled)

6. (Previously presented) The article of Claim 1 wherein said article is  
selected from the group consisting of a sanitary fitting and a body of a refrigerated  
vehicle.

7. (Previously presented) The article of Claim 2 wherein said article is  
selected from the group consisting of a sanitary fitting and a body of a refrigerated  
vehicle.

8. (Previously presented) The article of Claim 1 wherein said surface layer  
(a) comprises polymethylmethacrylate.

9. (Previously presented) The article of Claim 2 wherein said surface layer  
(a) and said optional surface layer (f) each comprises polymethylmethacrylate.

10. (Previously presented) The article of Claim 1 wherein said substrate (f)  
comprises a member selected from the group consisting of glass fiber reinforced  
polyester, stone, wood, metal and combinations thereof.

11. (Previously presented) The article of Claim 1 wherein: thermosetting polyurethane layers (b) and (e) each independently have a thickness of from 0.8 mm to 8 mm; crosslinked polyurethane elastomer layer (c) has a thickness of from 0.5 mm to 4 mm; and polyurethane foam layer (d) has a thickness of from 0.5 mm to 30 mm.

12. (Previously presented) The article of Claim 2 wherein: thermosetting polyurethane layers (b) and (e) each independently have a thickness of from 0.8 mm to 8 mm; crosslinked polyurethane elastomer layer (c) has a thickness of from 0.5 mm to 4 mm; and polyurethane foam layer (d) has a thickness of from 0.5 mm to 30 mm.

13. (Previously presented) The article of Claim 1 wherein said surface layer (a) is a decorative surface layer.

14. (Previously presented) The article of Claim 2 wherein said surface layer (a) and optional surface layer (f) are each independently decorative surface layers.